







Horsetrailers & Professional Trailers Range







1<sup>1/2</sup> horse

Unladen weight from 590kg MGW = 1400kg







## GOLD ONE

1<sup>1/2</sup> horse - 1.40m



Unladen weight from 650kg MGW = 1600kg



Lower and softer suspension system for the confort of you horses





# GTZ | GTESTIVER

2 horses - 1.67m



Unladen weight = 770kg MGW = 2000kg





#### **Technical details**

- Galvanized chassis
- Axle Metallo rubber suspension with 4 independent wheels
- Polyester roof
- Plywood walls 18mm
- Plywood floor 21mm
- Rubber matting
- Rear ramp/door system
- Automatic Jockey wheel

#### Extra

- Front unloading ramp
- Tack room
- Aluminium floor 18mm
- Galvanized chassis
- Pullman 2 suspension
- Polyester roof
- Aluminium walls 18mm
- Aluminium floor 25mmRubber matting
- Rear ramp/door system
- Automatic Jockey wheel
- Complete equipment

#### Extra

- Front unloading ramp
- Tack room
- Galvanized chassis
- Axle Metallo rubber suspension with 4 independent wheels
- Polyester roof
- Plywood walls 18mm
- Plywood floor 21mm
- Rubber matting
- Rear ramp/door system
- Automatic Jockey wheel

#### Extra

- Tack room
- Aluminium floor 18mm





## GOLD

Classic / Xline

2 horses - 1.67m



Unladen weight from 800kg MGW = 2000/2600kg











## GOLD II / Aluline

2 horses - 1.67m





Unladen weight = 820kg MGW = 2000/2600kg


















2 horses - 1.67m





Unladen weight = 840kg MGW = 2000/2600kg









#### Technical details

- Galvanized chassis
- Pullman suspension
- Polyester roof
- Plywood walls 18mm
- Aluminium floor 18mm
- Rubber matting
- Rear ramp/door system
- Automatic Jockey wheel
- Complete equipment
- Front unloading ramp
- Tack room
- Galvanized chassis
- Pullman 2 suspension
- Polyester roof
- Aluminium walls 18mm
- Aluminium floor 25mm
- Rubber matting
- Rear ramp/door system
- Automatic Jockey wheel
- Complete equipment

#### Extra

- Front unloading ramp
- Tack room
- Galvanized chassis
- Pullman suspension
- Design shape
- Integral polyester body
- Aluminium floor 18mm
- Rubber matting
- Rear ramp/door system
- Automatic Jockey wheel
- Complete equipment

#### Extra

- Front unloading ramp
- Tack room



## GOLD XL 2 horses







Unladen weight = 980kg MGW = 2600kg

















3 horses







Unladen weight = 1250kg MGW = 2600kg





# **Optimax**

4 horses







Unladen weight = 1450kg MGW = 3500kg







Lower and softer suspension system for the confort of you horses



- Galvanized chassis
- Pullman 2 suspension
- Polyester roof

Diagonal

- Aluminium walls 18mm
- Aluminium floor 25mm
- Rubber matting
- Rear ramp/door system
- Automatic Jockey wheel
- Complete equipment

#### 2 versions

- Western = Large tack room
- Diagonal = Front unloading ramp

- Galvanized chassis
- Pullman suspension
- Polyester roof
- Aluminium walls / Plywood walls 18mm
- Aluminium floor 18mm
- Rubber matting
- Rear ramp/door system
- Automatic Jockey wheel
- Complete equipment

- Galvanized chassis
- Pullman 2 suspension
- Polyester roof and front
- Aluminium walls 18mm Aluminium floor 25mm
- Rubber matting
- Large lateral opening flap including windows
- Rear doors
- Automatic Jockey wheel
- Complete equipment

- Transport in oblic way
- Large tack room
- *Minimax* = Front unloading door
- Optimax = Front unloading ramp





# PROFESSIONAL TRAILER RANGE

## Aluminium box trailers





#### Accessories

- C Ladder rack
- Mesh sides
- Low and high cover
- Propstands
- Binding rails
- Motorbike rail and block



## Multiplex / Polyester box vans



Aluminium sidewails



## Polyester box vans









## Hydraulic tipper







- Galvanized chassis
- Unbraked / Braked single axle
- Aluminium dropside
- Anti-slip multiplex floor
- Jackey wheel

- Galvanized chassis
- Unbraked / Braked single axle
- Polyester roof and spoiler
- Anti-slip multiplex floor
- Jockey wheel
- Stainless steel locking system

- Galvanized chassis
- Braked single axle
- Polyester frame
- Anti-slip multiplex floor
- Ramp door system as standard
- Jockey wheel
- Inside height = 1,60m or 1,90m
- Galvanized chassis
- Multiplex floor + Metal plate
- Removable aluminium dropside (height = 300mm)
- Scale holder standard
- Jockey wheel
- Hydraulic pump standard

